EAST Search History

EAST Search History (Prior Art)

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	15	((ATA or IDE or serial?ATA or SATA) with (convert\$3 or convers\$3) with (USB or "universal serial bus" or IEEE? 1394 or FireWire)) and ((ATA or IDE or serial?ATA or SATA) with (integrated near circuit) with (USB or "universal serial bus" or "IEEE 1394" or FireWire))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21
L3	33	(ATA or IDE or serial?ATA or SATA) with (command near bus)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 12:02
S3	384	(ATA or IDE or serial?ATA or SATA) with (convert\$3 or convers\$3) with (USB or "universal serial bus" or IEEE? 1394 or FireWire)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/04 12:30

S4	898	710/74.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/04 15:25
S5	6	((ATA or IDE or serial?ATA or SATA) with (convert\$3 or convers\$3) with (USB or "universal serial bus" or IEEE? 1394 or FireWire)) and ((ATA or IDE or serial?ATA or SATA) with (command near (bus or interface)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/05 12:14
%	59	((ATA or IDE or serial?ATA or SATA) with (convert\$3 or convers\$3) with (USB or "universal serial bus" or IEEE? 1394 or FireWire)) and ((ATA or IDE or serial?ATA or SATA) with (command with (bus or interface)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/05 12:15
S 7	6	((ATA or IDE or serial?ATA or SATA) near2 command) with ((USB or "Universal Serial Bus" or IEEE? 1394 or Fire? Wire) near packet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/05 15:11

S 8	90	(ATA or IDE or serial?ATA or SATA) with (chang\$3 or translat\$3) with (USB or "universal serial bus" or IEEE? 1394 or FireWire)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/01 13:34
S 9	9	((ATA or IDE or serial?ATA or SATA) with (convert\$3 or convers\$3 or chang\$3 or translat\$3) with (USB or "universal serial bus" or IEEE? 1394 or FireWire)) and ((ATA or IDE or serial?ATA or SATA) with (command near (bus or interface)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/20
S10	• —	((ATA or IDE or serial?ATA or SATA) with (convert\$3 or convers\$3) with (USB or "universal serial bus" or IEEE? 1394 or FireWire)) and ((ATA or IDE or serial?ATA or SATA) with (command near bus))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/20

S11	1	((ATA or IDE or "serial ATA" or SATA) with (convert\$3 or conversion or translat\$3 or chang\$3) with (USB or "universal serial bus" or IEEE? 1394 or FireWire)) and ((ATA or IDE or "serial ATA" or SATA) with (command near bus))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/20 16:46
-----	---	---	---	----	----	---------------------

10/21/2010 5:29:11 PM C:\ Documents and Settings\ jroche\ My Documents\ EAST\ Workspaces\ 10593668 data interface.wsp